

## Tehničke karakteristike proizvoda

### Karakteristike

## 9001KR3U

Head for spring return push button, Harmony 9001K, metal, projecting, 7 colours choice, 30mm



### Osnovne informacije

|                                     |                      |
|-------------------------------------|----------------------|
| Grupa proizvoda                     | Harmony 9001K        |
| Tip proizvoda ili komponente        | Glava za taster      |
| Kratko ime uređaja                  | 9001K                |
| Profil glave uređaja                | Izbočena, neoznačeno |
| Dodatne informacije o glavi uređaja | Bez štitnika         |

### Dopunske informacije

|                               |                      |
|-------------------------------|----------------------|
| Prečnik za montiranje         | 30 mm                |
| Oblik glave signalne jedinice | Okrugla              |
| Tip glave uređaja             | Sa povratkom         |
| Masa proizvoda                | 0,09 kg              |
| Materijal podnožja            | Metal                |
| Boja kapica/glave ili sočiva  | Izbor 7 boja         |
| Tip glave                     | Izbočena             |
| Tip ručice                    | Sa povratkom         |
| Tip kontakata i sastav        | Bez kontaktnog bloka |

### Pakovanje

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 5,08 cm    |
| Package 1 Width              | 5,842 cm   |
| Package 1 Length             | 7,112 cm   |
| Package 1 Weight             | 104,326 g  |
| Unit Type of Package 2       | PAL        |
| Number of Units in Package 2 | 3200       |
| Package 2 Height             | 101,6 cm   |
| Package 2 Width              | 101,6 cm   |
| Package 2 Length             | 121,92 cm  |
| Package 2 Weight             | 347,451 kg |

## Održivost ponude

|                              |                                                                                                                                                                             |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status održive ponude        | Green Premium proizvod                                                                                                                                                      |
| Propis REACH                 | <a href="#">REACH Deklaracija</a>                                                                                                                                           |
| EU RoHS direktiva            | Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS)                                                                                                |
| Bez žive                     | Da                                                                                                                                                                          |
| RoHS regulativa za Kinu      | <a href="#">RoHS Deklaracija Za Kinu</a>                                                                                                                                    |
| Informacije o RoHS izuzecima | <a href="#">Da</a>                                                                                                                                                          |
| Izjava o zaštiti okoliša     | <a href="#">Profil Ekološke Prihvatljivosti Proizvoda</a>                                                                                                                   |
| Profil cirkularnosti         | Nema potrebe za namenskim operacijama recikliranja                                                                                                                          |
| WEEE                         | Ovaj proizvod je na tržištima Evropske unije neophodno odložiti u skladu sa specifičnim smernicama za prikupljanje otpada i nikako ne sme da dospe u kontejnere za otpatke. |


## Ugovorna garancija

|           |           |
|-----------|-----------|
| Garancija | 18 months |
|-----------|-----------|

---

Dimensions

---



Contact Block Mounting Position

Top and Rear views

(1) It is possible to mount up to 3 levels of contacts blocks (maximum of 6 contacts blocks)

(2) Operator


(3) Locating notch

(4) Side 1

(5) Side 2

Panel Cut-Out

Clearance



| Legend plate | a min. |      | b min. |      |
|--------------|--------|------|--------|------|
|              | mm     | in.  | mm     | in.  |
| 9001KN2••    | 57.2   | 2.25 | 44.5   | 1.75 |
| 9001KN3••    | 57.2   | 2.25 | 50.8   | 2.00 |

Individual Cut-outs Details

2 alternatives

mm  
in.

