


Tehničke karakteristike proizvoda

Karakteristike

GBK0600660E

adaptation kit, Lexium ILE, GBK, size 60, 19mm, for assembly motor and gearbox



Osnovne informacije

Kompatibilnost grupe proizvoda	Lexium ILE
Tip proizvoda ili komponente	Set za adaptaciju
Kratko ime uređaja	GBK
Pribor / posebna kategorija	Pribor za adaptaciju
Kompatibilnost proizvoda	ILE
Pribor / posebna namena	Za sklopni motor i menjač
Sastav seta	Adapter ploča Adapter za kraj vratila Zavrtnji za montažu
Spoljni prečnik reduktora	60 mm



Dopunske informacije



Veličina prirubnice motora	66 mm
Broj naslaganih rotora i statora motora	2 3 1
Dužina	19,1 mm
Masa proizvoda	0,2 kg

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8,000 cm
Package 1 Width	16,200 cm
Package 1 Length	17,800 cm
Package 1 Weight	252,000 g
Unit Type of Package 2	P06
Number of Units in Package 2	50
Package 2 Height	75,000 cm
Package 2 Width	60,000 cm
Package 2 Length	80,000 cm
Package 2 Weight	25,750 kg

Održivost ponude


Status održive ponude	Green Premium proizvod
Propis REACh	 REACH Deklaracija
EU RoHS direktiva	Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS)
Bez žive	Da
RoHS regulativa za Kinu	 RoHS Deklaracija Za Kinu

Informacije o RoHS izuzecima	 Da
Izjava o zaštiti okoliša	 Profil Ekološke Prihvatljivosti Proizvoda
Profil cirkularnosti	Nema potrebe za namenskim operacijama recikliranja
Bez PVC	Da

Ugovorna garancija

Garancija	18 months
-----------	-----------

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
19.1	60	M4	73.5	14 x 8 x 20

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.75	2.36	M4	2.89	0.55 x 0.31 x 0.79