


Tehničke karakteristike proizvoda

Karakteristike

GBK0800852S

adaptation kit, Lexium, GBK, size 80, 21mm,
for assembly motor and gearbox



Osnovne informacije

Kompatibilnost grupe proizvoda	Lexium ILS Lexium SD3
Tip proizvoda ili komponente	Set za adaptaciju
Kratko ime uređaja	GBK
Pribor / posebna kategorija	Pribor za adaptaciju
Kompatibilnost proizvoda	BRS3 ILS
Pribor / posebna namena	Za sklopni motor i menjač
Sastav seta	Adapter ploča Zavrtnji za montažu Adapter za kraj vratila
Spoljni prečnik reduktora	80 mm



Dopunske informacije



Veličina prirubnice motora	85 mm
Broj naslaganih rotora i statora motora	1 2
Dužina	21,2 mm
Masa proizvoda	0,45 kg

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8,0 cm
Package 1 Width	16,2 cm
Package 1 Length	17,8 cm
Package 1 Weight	423,0 g
Unit Type of Package 2	S06
Number of Units in Package 2	50
Package 2 Height	73,5 cm
Package 2 Width	60,0 cm
Package 2 Length	80,0 cm
Package 2 Weight	34,15 kg

Održivost ponude


Status održive ponude	Green Premium proizvod
Propis REACh	 REACh Deklaracija
EU RoHS direktiva	Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS)
Bez žive	Da
RoHS regulativa za Kinu	 RoHS Deklaracija Za Kinu

Informacije o RoHS izuzecima	 Da
Izjava o zaštiti okoliša	 Profil Ekološke Prihvatljivosti Proizvoda
Profil cirkularnosti	Nema potrebe za namenskim operacijama recikliranja
Bez PVC	Da

Ugovorna garancija

Garancija	18 months
-----------	-----------

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
21.2	85	M6	99	19 x 12 x 26

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.83	3.35	M6	3.90	0.74 x 0.47 x 1.02