

Tehničke karakteristike proizvoda Karakteristike

HMIWRT001

Web viewer run time license, EcoStruxure
Operator Terminal Expert



Osnovne informacije

Grupa proizvoda	EcoStruxure Operator Terminal Expert
Tip proizvoda ili komponente	Licenca
Format	Paper
Tip softvera	Dodatak
Tip licence	Node locked license
Posebna izvedba	Runtime
Verzija softvera	V3.5
Operating system requirement	Windows 10 64-bitni
Zahtevi sistema	8 GB RAM 30 GB hard-drive space
Korisnički jezik	Engleski Italijanski Kineski Španski Francuski Nemački Portugalski Korejski

Dopunske informacije

License category	Permanent
Protokol komunikacionog porta	CANopen slave Couzet Automation millenium 3 FBD Emerson Industrial Automation Modbus SIO master Emerson Industrial Automation Modbus TCP master Control Techniques Modbus SIO master Control Techniques Modbus TCP master Emerson Process Management ROC Plus Ethernet Emerson Process Management ROC SIO HTTP IPsec Mitsubishi A series Ethernet Mitsubishi FX series CPU direct Mitsubishi FX series Ethernet Mitsubishi iQ-R/F series Ethernet SLMP client Mitsubishi Q series CPU direct Mitsubishi Q series QnU CPU Ethernet Mitsubishi Q/QnA series serial Modbus Organization Modbus SIO ASCII master Modbus Organization Modbus SIO master Modbus Organization Modbus SIO slave Modbus Organization Modbus TCP master Modbus Organization Modbus TCP slave Omron CS/CJ/CP series host link Omron CS/CJ/CP/NX series Ethernet Omron CS/CJ/NJ/NX series Ethernet/IP OPC UA server Profibus DP slave Rockwell Automation Ethernet/IP Rockwell Automation DF1 Rockwell Automation DH485 Schneider Electric Modbus SIO master Schneider Electric Modbus TCP master Schneider Electric Modbus TCP master via USB Schneider Electric Machine expert network Schneider Electric PacDrive Schneider Electric Uni-Telway Schneider Electric Zelio Logic Siemens Simatic S7 Ethernet Siemens Simatic S7 MPI direct Siemens TIA portal Ethernet websocket
Prethodna verzija softvera	V3.4
Funkcija softvera	Web viewer Alarms and events Blockly script Convertors Import export with CSV, tab and period delimiter Data and operation logging Multi language development Multi language tables Object binding and properties Target binding and properties Recipes Screens (contents and folders) Security (levels, project, users) System keypad Text script Color themes Variable (arrays, binding, properties, structures) OPC UA Server
Kompatibilnost proizvoda	Windows compatible PC
Kompatibilnost grupe proizvoda	Harmony GTU Harmony GTUX Harmony ST6 Harmony STM6 Harmony STO7 Harmony iPC
Hosting option	On-device
License size	Single (1 station)

Processor requirement	Intel core i3 8th generation Intel core i5 8th generation
Rezolucija displeja	320 x 240 pixels HVGA minimalno 3840 x 2160 pixels 4K UHD maksimalno

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0,51 cm
Package 1 Width	17,53 cm
Package 1 Length	24,89 cm
Package 1 Weight	54,43 g