



Osnovne informacije

Grupa proizvoda	PrismaSeT
Grupa proizvoda	PrismaSeT G
Tip proizvoda ili komponente	Prednja ploča
Pribor / posebna kategorija	Instalacioni pribor
Kompatibilnost grupe proizvoda	PrismaSeT (PrismaSeT G) orman
Tip prednje ploče	Otvor
Instalirani uređaji	Compact: fiksno INS250 - kontrola: direktno prednjom zakretnom ručicom - horizontalno instalacija Compact: fiksno INV100 - kontrola: direktno prednjom zakretnom ručicom - horizontalno instalacija Compact: fiksno INV160 - kontrola: direktno prednjom zakretnom ručicom - horizontalno instalacija Compact: fiksno INV200 - kontrola: direktno prednjom zakretnom ručicom - horizontalno instalacija Compact: fiksno INV250 - kontrola: direktno prednjom zakretnom ručicom - horizontalno instalacija
Opis polova	1 x 3P: montažna ploča nosač: INS250 horizontalno instalacija 1 x 4P: montažna ploča nosač: INS250 horizontalno instalacija 1 x 3P: montažna ploča nosač: INV100 horizontalno instalacija 1 x 4P: montažna ploča nosač: INV100 horizontalno instalacija 1 x 3P: montažna ploča nosač: INV250 horizontalno instalacija 1 x 4P: montažna ploča nosač: INV250 horizontalno instalacija 1 x 3P: montažna ploča nosač: INV160 horizontalno instalacija 1 x 4P: montažna ploča nosač: INV160 horizontalno instalacija 1 x 3P: montažna ploča nosač: INV200 horizontalno instalacija 1 x 4P: montažna ploča nosač: INV200 horizontalno instalacija
Radni položaj	Horizontalna

Dopunske informacije

Opis kućišta/ormana	Slobodnostojeći orman - širina 850 mm
Pozicija priključka	Povezivanje bloka
Broj vertikalnih modula (50 mm)	4
Standardi	IEC 61439-1 IEC 61439-2
Sertifikacija proizvoda	ASTA
Završna obrada	Teksturom Mat
Tretman zaštite	Elektroforeza i vruće polimerizovan poliesterski epoksi prah

Boja	Bela (RAL 9003)
Visina	200 mm
Širina	850 mm
Masa proizvoda	1,36 kg
Količina po setu	Set od 1
Functional unit	<p>850 mm PrismaSeT G slobodnostojeći orman Compact INS250 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INS250 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV100 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV100 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV160 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV160 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV200 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV200 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV250 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV250 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 blok za povezivanje 5</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV100 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV100 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV160 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV160 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV200 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV200 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV250 fiksno direktno prednjom zakretnom ručicom horizontalno 3P 1 direktno sa dugim poklopcem priključaka 4</p> <p>850 mm PrismaSeT G slobodnostojeći orman Compact INV250 fiksno direktno prednjom zakretnom ručicom horizontalno 4P 1 direktno sa dugim poklopcem priključaka 4</p>

Okruženje

Ip stepen zaštite	IP30
-------------------	------

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3,0 cm
Package 1 Width	20,0 cm
Package 1 Length	75,0 cm
Package 1 Weight	1,413 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	10,0 cm
Package 2 Width	22,0 cm
Package 2 Length	76,0 cm
Package 2 Weight	8,794 kg
Unit Type of Package 3	P12
Number of Units in Package 3	60

Package 3 Height	35,0 cm
Package 3 Width	80,0 cm
Package 3 Length	120,0 cm
Package 3 Weight	99,94 kg

Održivost ponude

Status održive ponude	Green Premium proizvod
Propis REACh	REACH Deklaracija
REACh bez SVHC	Da
EU RoHS direktiva	Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS) EU RoHS deklaracija
Bez toksičnih teških metala	Da
Bez žive	Da
RoHS regulativa za Kinu	RoHS Deklaracija Za Kinu
Informacije o RoHS izuzecima	Da
Izjava o zaštiti okoliša	Profil Ekološke Prihvatljivosti Proizvoda
Bez PVC	Da
Učinak u vezi sa sadržajem halogena	Proizvod sa plastičnim delovima bez halogena